









# Chongqing Mexin Messon Doors Industry Co., Ltd. 营養重庆美心·麦森门业有限公司

NO. 56 Baihe Road, Nanping Economy & technology Developing District, Chongqing 400060, China 中國・重慶經濟技術開發區南坪白鶴路56號 (400060)

Europe & Africa Dept.: 0086 23 62812474(TEL) office@meixin.com trading@meixin.com

Asia & Russia Dept.: 0086 23 62757097(TEL) market@meixin.com
North & Latin America Dept.: 0086 23 62752005(TEL) sales@bestdoor.com.cn

Iran, Ukraine: 0086 23 62912559(TEL) sales@meixin.com

Fax: 0086 23 62910381 62766357

# **Company Profile**

Mexin Group, founded in 1989, is an integrated economic entity of which the main body is the production and distribution of doors. In addition, the group has significant investment in industries such as motorcycle crankshaft manufacturing, environmentallyfriendly building materials, property development, landscaping, and several other areas. Over its 16 year existence, Mexin has grown to become one of Chongqing City's key enterprises, and now ranks as one of the 50 largest businesses in Chongqing. Mexin employs a staff of more than 5,000 and holds assets worth over RMB 2 billion. Mexin's name is well-known across China and on September 1, 2005, in the People's Great Hall in Beijing, Mexin was awarded the title of a China "Top Brand."

Mexin Group follows a development strategy based on innovation. As it faces an increasingly competitive and complex market, Mexin believes that staying ahead of competitors is key. Thus it has stressed technological advancement through its own research and development center, as well as through constant testing and modification of its products to better suit the market. Mexin doors have been tested and certified through American "ITS" and British "BS" standards. Manufacturing technology has been imported from Germany, Finland, South Korea, and elsewhere to guarantee that our advanced production line can match international efficiency and quality levels. While Mexin realizes the rapid benefits that imported technology can bring, it also knows that it must be accompanied by a core productive mentality to ensure success. Currently, Mexin holds several patents in the field of doors as well as the area of

From its base in Southwest China, where it holds a 70% market share in security doors, inner doors, fire doors, solid wooden doors and more, Mexin has grown to become the leading door manufacturer and distributor for all of China. At present, Mexin has more than 30 subsidiary marketing companies, more than 2,000 dealers, and more than 3,000 service branches. Internationally, Mexin has also been rapidly expanding through the establishment of worldwide dealers and commercial representatives. The initial customer alliances formed years ago have successfully created the foundation for Mexin's global marketing strategy. Currently, Mexin products are exported to over 30 countries on 6 continents. Mexin envisions a future where the Mexin brand is seen worldwide as the top of its field in all aspects of its business.

In addition to manufacturing products, Mexin also creates happiness. Enterprises do not show individual accomplishments, but rather the accomplishments of groups working together. All staff members at Mexin share in each others' successes, and the happiness that accompanies them. Mexin has built itself on a development strategy of simplicity, the three rules to simplicity 1) staff creativity equals the whole enterprise's competitive ability, 2) the enterprise's investment in its staff equals the staff's ability to deliver, and 3) willpower of the employees equals the enterprise's ability to capture the market. Based on these three simple principles, Mexin and its staff work together for common goals. Mexin's dedication to its employees results directly in the company's ability to succeed. Mexin also feels strongly about its commitment to the community, which is why in recent years, it has contributed more than RMB 150 million to public

Mexin has a bright future. As it continues to develop its products, its ability to serve a global customer base will improve rapidly. The international global door market is a RMB 100 billion annual business, yet it still lacks a visible global leader in production. This is precisely the void that Mexin plans to fill. Currently, the company targets a 5 year plan seeking establishment in the mainstream markets of Europe and the Americas. Within 10 years, the Mexin brand plans to be recognized as the top producer


美心集團創建于1989年,是以門業爲主體,投資涵蓋汽摩配件、新型環保建材。 房地產開發、緑色科技等多個產業領域的綜合性集團企業。經過十六年的 行健進 美心已成長爲重慶市重點增長企業,重慶工業50强。集團現有員工5000余人,總資 産20多億,是中國門業的知名企業。2005年9月1日,在北京人民大會堂,美心安全 門被中國名牌戰略推進委員會評定并授予"中國名牌"稱號。

美心集團自成立伊始就確立了科技興企的發展戰略。面對激烈的市場競争和復 雜的醫商環境,美心在同業中率先建立了產品技術研發中心,并按國家標准建立了 實驗室,以先進的研發理念和不斷創新的研發體制務實推進新型工業化進程,相關 産品均一次性通過美國"ITS"和英國"BS"標准檢測。近年來,公司投入數億資金用 于技術改造, 先后從德國、韓國、芬蘭等國引進多條先進生產綫。美心深知, 購進 的設備與技術可以迅速提高企業生產力,却不能構建企業的核心競争力,自主研發 與創新才是根植于美心肌體的最可靠的成長基因。目前,美心已在門業和通用汽油 機領域取得了多項具有自主知識產權的科研成果,掌握了多項關鍵技術和部分核心 技術 形成了領先同 的產品研發優勢

憑借精益制造的優質産品,美心防盗門、室内門、防火門、實木門、防火防盗 門在牢牢掌控西南門業高達70%市場份額的同時,美心不斷拓展市場版圖,已由區 域市場的主導者發展成爲全國市場的領先者。公司目前在國内擁有30多個營銷分公 司、2000多個經銷商,以及3000多個服務網點。在國際市場上,美心審時度勢,通 過設立分公司、設置商務代表處、建立海外原材料基地,以及建立客户聯盟等多種 方式,初步形成了能够滿足全球化戰略部署的市場運營體系。經過數年經營,公司 的海外業務已拓展至歐洲、美洲、南亞、東南亞、中東等30多個國家和地區。美心 正以一個端具全球視野的門業新鋭的形象出現在國際市場上。期間,美心曲軸面對 國際市場的大蛋糕,也聞"香"而出,短短三年間,已將產品打入國際頂級市場, 成爲美國哈雷、愛默生,日本久保田等跨國公司的全球合作伙伴。

企業除了制造產品,還要制造快樂與幸福。没有個體的發展,就没有企業的壯 大,企業的成功要以員工的成功爲標志。美心樸素的發展觀主要源于對人本的温情 認知,美心將其簡化爲三個等式: 即企業的競争力=員工的創造力, 企業的情感投 入=員工的物質產出,企業的人心占有率=產品的市場占有率。基于此,美心把與員 工 "共同奮鬥、共同富裕" 設定爲助推企業持續增長的核心機制,致力營造人文企 業,用心培育書香團隊,以真愛關懷員工,以真情回報社會,積極參與公益事業, 已纍計捐資一億五千多萬元。

未來的美心,將以科技爲引領,以服務全球客户爲己任,充分把握市場高速增 長帶來的機遇,與友商一道分享產業鏈的價值。門業雖然是個全球市值逾千億的大 產業,但迄今爲止還没有產生一個世界級的門類制造商,這正是包括美心在内的中 國企業的機會,美心將以構建技術領先的門業跨國公司爲奮鬥目標。計劃利用五年 的時間,尋求在歐美等主流市場的全面突破,利用十年的時間,專心打造具有全球 影響力的門類產品制造企業,讓 "Mexin" 成爲在門業具有全球競争力的强勢品牌。



# **Door Series** ∠

**PVC Film Security Door Series** 




MX1D2033FA





MX1D2077EV

#### **Powder-coated Security Door Series** 噴塑冷軋鋼板安全門



MX1D2015GA

#### **Interior Door Series** 室内門



MX1S2054FM

Heat transfer Security Door Series 印刷鋼板安全門




MX1D2084RA

## **Moulding Door Series**



MX1S4500AF

## **Product Structure**



# Accessories(a portion)

**Mexin Doors** 

## **For Security Door**



量子6-13型鎖













量子13型鎖

13-II mode 月牙鎖13-11型把手

月牙鎖

月牙鎖||型把手

月牙鎖IV型把手

Second lock

### For Fire-proof Door



Panic Bar 平推式防火鎖



普通式防火鎖





New style handle 新款防火鎖





viewer 彩色門鏡



普通門鏡



viewer 防火門鏡

## **Mexin Door Numbering Legends**









- 1: MX Mexin
- 2 : Door Model (1, 2, 3)
- 1: Single Leaf
- 2: Double Leaf/Folding door
- 3: Double Leaf or Three Leaf/Single Frame
- 3: Door Type (D, R, H, S)
  - D: Security Door
  - R: Heat Transfer Door H: Fire-proof Door
- S: Interior Door

- 4 : Door Pattern (e.g. 2034)
- 6 : Door Material (F, G, R, E)
- F: PVC Film
- G: Powder Coating
- R: Heat-transfer
- E: Armored
- 6 : Door Structure (A, E, C, V)
  - A: A Structure-45mm Thickness Door Leaf E: E Structure-70mm Thickness Door Leaf
- C: Armored Door With Single MDF-53mm
- V: Armored Door With Double MDF-68mm

2 2006 Mexin Doors Edition



# **Color Chart F Series**

# F12 F31 F30 F35 F36 F37 F38 F39 F40 F41

F46

F45

F42

# **Color Chart G Series**



Pictures are just for your reference.

Actual color will be based on Precticalities.

4 2006 Mexin Doors Edition 5

# Security Door <sub>美心防盗門</sub>

PVC Film Security Door Series 復型鋼板安全門

















MX1D2011GA





MX1D2042FA



MX1D2015FA































MX1D2040FA

MX1D2111FA

MX1D2011FA

MX1D2084FA

MX1D9704GA MX1D9601GA

MX1D2111RA

MX1D2049RA

MX1D2101RA

## **Double Door**

## **Two Pieces Door** 子母門



MX3D2025FA









MX2D2034GP








MX1D9601 A. E



MX1D2107 A. E















MX2D2011GA
















MX1D2073 A. E









MX3D2021GX









MX2D2032FA

MX3D9920GA

## **Design of Security Door**








# Interior Door **L**

## **Asymbol of Freedom and Individual**



- \*Perimetered with solid wood rails and laminated with imported PVC film steel plate.
- ※ Insulated with high-intensity polyurethane or honeycomb core.
- \*Door surface takes appearance of natural wood grain and does not need to be painted again.
- \*Free from formaldehyde and toluene. It is in conformity to the requirements of environmental protection.
- \*\*Humidity-proof, heat-insulated, crack-resistant strong and non-deformable.
- (Customers are free to choose designs and colors of the door and offered by the corresponding door frame according to the differentneeds of their indoor decoration. )
- ◇采用木質内筋與進口優質復塑 (PVC) 鋼板 經過壓花復合而成:
- ◇内填高密聚氨脂隔熱材料或蜂窩狀特質紙芯, ◇外觀呈天然木紋狀,無需再次油漆;
- ◇不含甲醛、甲苯,符合環境標准,屬無公害 産品;
- ◇防潮、耐熱、抗裂,堅固不變形; (根據客户室内裝飾的不同需求, 自由選擇門扇 花型、顏色,并配套門框。)
- \*All of our residential doors are painted with lead-free white primer. It is harmless to environment. And you can full finish the doors with paints after the surfaces are completely cleaned.
- ◇我們的室内門均采用白色環保無鉛油漆噴塗。 對環境無傷害。客户可在表面清潔后,在底 漆上直接噴塗其它顏色的油漆。





MX1S9601FM



MX1S2054FM



MX1S2055FM



MX1S2056FM



MX1S2040FM



MX1S9601FM




MX1S2041FM



MX1S2034FM



MX1S2049FM



MX1S2046FM



MX1S2047FM



MX1S2032FM



MX1S2042FM

MX1S2004FM



MX1S2011FM



MX1S2053FM



MX1S2052FM



MX1S2051FM



MX1S2019FM

## Interior Door **L**


美心室内門

Frame and Locks 配套門框及鎖具

Mexin Quick-Install Interior Door Pocket (Wooden or steel material is free to choose) 美心快裝室內門套(木質、鋼質任意選擇)

Mexin Quick-Install Interior Door Pocket is a new model of decorative door pocket that adopts fine multi-layer plate and mediumdensity plates as the base, with the surface laminated with PVC film. The door pocket is simply structured, easy and quick to install, good looking and widely applicable. It is an ideal product of decorative door pocket used in places such as houses and offices in the modern world.

美心快裝室內門套系采用優質多層板,中密度板做基層表面覆 P V C 胰的一種新型 裝飾門套。具有結構簡單,安裝快捷、美觀耐用、適應較廣的特點。是現代家居、辦公等場所門套裝飾的理想產品。





## Mexin Quick-Install Interior Door Hardwares(optional) 美心室内門配套鎖具(可自由選擇)












## **Design of Interior Door**





2006 Mexin Doors Edition 15

## **Interior Moulding Door**

# **Amored Door** ∠









MD1S4500AF



MD1S2091AF







MD1S4500AF



MD1S2000BF











Exquisite

Decorative Frame 精美加寬裝飾套

Secured by 3-direction

三方位鎖帶附加鎖 更安全可靠

Filling materials 填充材料

Steel face skin


裝飾面板

Decorative surface plate

Steel mesh reinforced

Top grade high-strengthened

decorative plate 高强度、高檔裝飾板



Stainless steel rails 不銹鋼内筋門扇



Hidden doorbell does not influence the whole appearance 隱藏式門鈴 不影響整體外觀效果

Armored door is produced by using high-intensity, high-performance adhesive agent to stick decorative plate on common security door. The door adopts stainless inner ribs, and the frame is jacketed with decorative frame. The surface of the decorative plate islaminated with PVC film of various colors, which may be formed into different patterns. Stainless ball hinges are used to hold the door and the frame. Three-direction lock is used, with additional lockset. This armored door is better than common security door in terms of safety, heat insulated, and decorative effect.

美心裝甲門是在普通防盗門的基礎上融合木質門的 生產技術,在門扇兩面或單面采用高强度、高性能 粘接劑粘貼經復塑處理的高密度板材,門扇采用不 銹鋼作内筋,產品外觀具有木質門的顯著特點,同 時又具備防盗門的高防盗性能,款式古典豪華,其 安全性、保温性、装飾性均優于普通防盗門,是目 前最先進的門類產品。

MX2D2074EV MX2D2087EV

## **Armored Door and Frame**

## **Design of Armored Door**
























MX1D2073EC

MX1DN424EV







MX1D2081EC



MX1D2077EV



EC: armored door with single MDF-53mm EV: armored door with double MDF-68mm



MX1D2105EV

## Fire-proof door 上 <sup>美心防火門</sup>

## Fire-proof Door



## 鋼質防火門



Steel fire-proof door & frame is made of cold-rolled steel. The door is insulated with fire-proof material, with its hardware meeting fire-proof, integrity and insulation requirements.

#### Specifications:

A:fire-proof material inflled. B:normally used with door closer.

C:hardware fire-rating temp. ≥950 °C.

D:only available in outswing opening.

E:frame should be installed with fire-proof rubber seal. F:door steel skin:0.8-1.2mm.

Frame steel: 1.2-1.5mm.

鋼質防火門是用冷薄鋼板作門框、 門板、骨架等,在門扇内部填充不燃 材料,并配以五金件組成的能滿足耐 火穩定性、完整性和隔熱性要求。 特征及要求:

- A:内填充爲不燃性材料;
- B: 應使用閉門器;
- C: 五金件的熔融温度≥950°C;
- D: 只能外開;
- E: 門框應裝防火密封條;
- F: 門扇材料0.8-1.2mm, 門框1.2-1.5mm冷板。







MX1H2000GP



MX1H2034GA

MX1H2094GA

\*Passed the BS and ITS fire test.
\*The first to pass fire test in China.

- \*The first to pass fire test in China.
  \*Using quality steel plate or stainless steel,
- \*Using quality steel plate or stainless steel, heat & sound insulation material and strengthened tendon inside the door.
- XVarious lock, viewer and doorbell. Top, middle and low fire-rating grade as per customer's requirement.
- ◇通過BS和ITS防火安全認證;
- ◇國内首家通過防火檢測的同類門型;
- ◇門面采用優質鋼板或不銹鋼鋼板,門扇内填充 隔熱消音材料,内觀加强筋;
- ◇多種門鎖、門鏡和門鈴供選擇,高、中、低三 個防火檔次滿足客户需要。



MX1H2061GA



# 

## **Commercial Frame**



### **BEST Door & Frame In Applications**





Extensively used in office, school, hospital and elevator entrance.





### Door Spec.



## Honey comb Standard Features

- · Point welding, continuous
- seamless edge.
- · Fully bonded.heat
- Cured, Nip Rolled, Core · Positive Pressure / Fire
- Rated
- · Closer Reinforced · Flush Top Channel
- · Inverted Bottom
- Channel
- · Non-handed Design · Universal 4 1/2"
- Hinge Prep
- · Prime Painted

### Core Special options

- · Beveled Lock Edge
- Galvanized (A60) Steel
- · Customer Hardware Cured, Nip Rolled, Core Preps. Available Also Positive Pressure / Fire For "MB" And "BR"
- Decorator Colors Available
- · Flush Top Channel · Full Lines Of Lites Inverted Bottom And Louvers
  - Channel · Non-handed Design
    - · Universal 4 1 / 2" Hinge Prep
      - · Prime Painted
      - · 3 hour Warnock Hersey Fire Label

Polystyrene (A40 Galvanized Steel)

Seamless edge.

· Fully Bonded ,heat

· Closer Reinforced

· Point Welding, Continuous



#### Core Special Options

- · Seamless Edge (63 LE 6 Panel)
- Seamless Edge
- (67 LE 8 Panel) · 6 Panel Design (65 LE)
- · Customer Hardware Preps. Available Also
- For " C " And "BR"
- Decorator Colors Availadle
- Hinge Prep
- Universal 4 1/2" Prime Painted

Channel



## TEMP RISING

seamless edge.

· Not Fire Rated

· Closer Reinforced

· Flush Top Channel

· Non-Handed Design

· Inverted Bottom

· Fully Bonded ,heat

Cured , Nip Rolled, Core

#### Core **Special Options**

- · Beveled Lock Edge · Point welding, continuous
  - Galvanized (A60) Steel(83 LE)
  - · Customer Hardware Preps. Available Also For " C " And "MB"
  - Decorator colors available Full line of lites and
  - louvers · 250' Temperature

Rising Core(35 LE)\*

\*Available in 16 and 18 gauge only Ideal for extreme temperature condition

### Frame Spec.





## **■ DRYWALL FRAMES**

- 16 Gauge (Cold Rolled Or A60 Galv.)
- 1-1 /2 hour warnock hersey
- Fire Label
- Unequal Rabbet · 2" Face
- 5 /8" High Stops
- 1/2" Returns Knocked Down With
- **Exact Fit Corners**
- · 5-3 /4" ,5-5 /8" ,5-7 /8"
- 7",8-3/4" Jamb Depth Screw Adjusting
- Compression Anchors · Sill Anchors
- · 7 Gauge 4-1 /2" Hinge Reinforcements
- Standard/heavy Duty
- · 4-7 /8" Universal Strike
- Preparation · 9 /32" Silencer Prep.

Also Available In 18 Gauge (Cold Rolled And A60 Galv.)



**Wood Stud Anchor** 

## MASONRY FRAMES

- 16 Gauge (Cold Rolled Or A60 Galv.) · 3 Hour Warnock Hersey
- Fire Label
- · Unequal Rabbet
- · 2 Face
- · 5 /8" High Stops 1/2" Returns
- Knocked Down With
- Exact Fit Corners
- · 4"-9-3/4" Jamb Depth
- · 7 Gauge 4-1/2" Hinge
- Standard / Heavy Duty · 4-7 /8" Universal Strike
- Preparation
- · Anchors For Masonry.
- Wood, and Metal Stud Walls · 9/32" Silencer Prep.

## cross corridor application to assist in traffic flow pattern. (4 1/2" standard or heavyweight hinge preparation is

■ DOUBLE-EGRESS

**Standard Features** 

· 3"-12 3 /4" Jamb Depth

Anchors Available For Masonry

· Galvanized ( A40) Frames Available

Note: standard doudle egress frames are designed for

Wood And Metal Stud Walls

· Variety Of Custom Hardware

Preparations Available

· Decorator Colors Available

· 5 /8" High Stops

**Special Options** 

1/2" Returns

Knocked Down With Mitered Corners



Steel Stud Anchor



**Wire Masonry** 

# Light Commercial Door 上

## **Light Commercial Door** 輕型商用門

## Portable Building Door & Mobile Home Door **Anti-Vadal Shutter & Door**



Primed Galvanised Steel. Fully Insulated Frame and Door. Door Core Reinforced. Commercial and Residential Use.



## **Anti-Vadal Shutter & Door**







Flag Hinge



**Stainless Steel Hinges** and Anti Jemmy Bolts

## **Sense of Home Comes From BEST Light Commercial Door.**





### **Anti vandal Steel shutters**

Steel shutter with Integrated finger bolts Insulated shutter sections Weld or bolt fit Window frame fixing rebate Anti jemmy studs Reinforced core Astragal

# **SMC Door** ∠ (Fibre Glass Door)

Mexin offers an incredible variety of fiberglass entry doors. The SMC door is the essence of luxury & performance. It features distinct raised molding & authentic wood-grain texture. Mexin's fiberglass door includes a tremendous variety of panel configurations and sizes. All Mexin fiberglass doors feature high-performance fiberglass facings and square-edge construction for maximum performance and authentic wood door appearance.

#### **\*Features**

\*Hardwood door beauty----authentic hardwood texture/textured wood grain surface or smooth surface.

\*Distinct raised moulding

#### **%High-Performance Fiberglass & Hardwood Door Beauty**

Specially engineered fiberglass door facings provide maximum protection and durability. The surface of a SMC door produces an authentic wood door appearance by utilizing Mexin's new, variable depth, wood-grain texture that finishes easily and beautifully. Our SMC door will not dent and resists splitting, cracking and warping.

#### **%High Definition Panel Profile**

Our SMC door features a high-definition panel profile creating excellent shadow lines and distinct panel designs.

#### **\*Raised Moulding**

Distinct raised moulding is standard on all SMC doors----reminiscent of hand-crafted hardwood doors. The moulding is integrated into the door facing (no planton appliqué).

#### **\*Engineered Stiles**

Hinge and lock stiles feature laminated lumber providing excellent dimensional stability.

### **XTrue Square-Edge Design**

The square-edge design of SMC door offers an attractive wood door appearance and permits easy field machining.

### **\*Internal Blocking**

Lock area is reinforced with a lock block to provide a solid mounting surface for decorative hardware.

#### **\*SMC Smooth**

All SMC door designs are also offered with an incredibility smooth surface, ideal for painting and decorating.





# STEEL FIRE-PROOF LA ROLLING SHUTTER 防火機能



#### Reasonable Configuration

Mexin rolling shutter collection is manufactured in strict conformance to the National Standard. Its design is for both commercial and residential use where fire resistance is required.

- \*Safety function build with outstanding quality.
- ※Heavy weight rolling sheet steel.
- ※Heavy duty sliding rail system for good performance.
- fire prevention facilities.

  \*\*Advanced technology. Smoke and heat detectors to avoid spread of smoke and fire.



Smoke detector 烟感器



Heat detector 温感器



Manual operator 手控系統



Heavy duty sliding rail 道動槽



Control case 控制箱



Push button manual operator 按鈕盒

- ◇ 無片厚實, 導軌寬深, 牢固可靠, 經久耐用, 其包箱結構爲
- ◇電控、手動、遥控升降功能三位一體,使用方便,靈活自如;
- ◇電控箱可與消防中心連接,采用網絡時刻監控,保險安全;
- ◇采用具有鎖控功能的控扭盒,火警狀態下照常運行;
- ◇可選配烟感器、温感器,有效防止烟霧和火勢蔓延





2006 Mexin Doors Edition 27

# **GARAGE DOOR** abla

### Quiet, Free, Solid, Durable

Mexin automatic garage door is a new hi-tech product which is made by imported advanced technology. It could be used manually, electrically as well as by remote control. With safe function, simple and convenient usage, and beautiful appearance, it is the most practical sectionalized lifting garage door and could be used in garages, workshops and department stores.

美心全自動車庫門是我公司推出的高科技產品,引進國外先進的制造技術,集手動、電動、摇控三種功能于一體。 具有性能安全可靠,使用簡單方便、美觀大方等特點,被廣泛應用于車庫、車間、商場等場所使用,是目前最具實 用性的分節提升式車庫門。



#### Reasonable gate board structure

- \*The gate board is made of fine cold-rolled steel sheet, with the surface sprayed plastics or imported quality color painted steel sheet and pressed with nature-like and Euro-American style grain and square pattern. It is of clear structure, graceful style, beautiful appearance, anti-corrosion and never fading.
- \*Polyurethane core is smell free, innoxious with good heat and sound insulation.
- \*\*The two ends of door are sealed with quality steel sheet. With the good adherence between the inside and outside, the door is beautiful and solid.
- \*There is plastic bar at the bottom of gate board, functioning as heat insulation, wind-proof and dust-proof.
- ◇門板采用表面噴塑優質冷軋鋼板或進口優質彩塗鋼板,其表面壓有仿自然且有歐美風格的木紋和方塊圖案,條紋清晰、 格調高雅、美觀大方、抗腐蝕、不褪色;
- ◇聚氨脂發泡填充無味、無毒,保温、隔熱、隔音效果好;
- ◇優質鋼板封閉兩端,使内部及外側附着在一起,美觀、堅固;
- ◇門板底部設有橡塑膠條,隔熱、防風、防塵。

## **Sectionalized Lifting Garage Door**

美心分節提升式車廈門



#### Mexin Automatic Garage Door **Panel Structure**

聚胺脂發泡填充的優質鋼門板



Solid polyurethane insulation, excellent heat and sound insulation. 固體聚氨 泡沫填充. 保温隔音

Fine grained steel, beautiful and luxurious. 細紋浮雕、美觀豪華



Home-made garage door

start and stop controller

國産車庫門啓閉機

Imported garage door start and stop controller 進口車庫門啓閉機



**Emergency lock** (manual opening with keys when electricity is off) 車庫應急門鎖 (停電時, 用鑰匙手動開啓車庫門)



Infrared protector (the gate-body will rebound when there is barrier under the gate, providing protection for people and car.) 紅外綫保護器 (門體下方有障礙時,門體自動反彈,更能保護人、車安全)



Remote controller 遥控器

- **\*Garage lighting**
- **\*Solid steel body and beautiful plastic cover**
- \*No need for special maintenance
- **\*Easy operation**
- **\*Energy saving**
- **\*Computer-control and electric stopping**
- ◇車庫照明
- ◇堅固的鋼質主體美觀的塑料外罩
- ◇不需特别維護
- ◇操作簡易
- ◇節省能源
- ◇微電腦控制、電子限位

